

9. IOP AH

by Yulianto Ade Prasetya

Submission date: 07-Feb-2022 11:28AM (UTC+0000)

Submission ID: 1756787378

File name: 2._PROSIDING_IOP.pdf (922.29K)

Word count: 2761

Character count: 15162

PAPER • OPEN ACCESS


22
Synthesis of ZnO-Ag Nanocomposites through Ultrasonication-Microwave Combination Method with Clove Leaf Oil

To cite this article: A Hisbiyah *et al* 2020 *IOP Conf. Ser.: Mater. Sci. Eng.* **833** 012070

9
View the [article online](#) for updates and enhancements.

You may also like

- 6
- [The effect of catalyst weight on the photocatalytic performance of ZnO-Ag nanocomposites prepared by flame pyrolysis method](#)
K Kusdianto, S Syafrul, M N Rahmat et al.
- 11
- [Photo generated charge transport studies of defects-induced shuttlecock-shaped ZnO/Ag hybrid nanostructures](#)
Siddharth Choudhary, Garima Vashisht, Rakesh Malik et al.
- 6
- [Improved deep ultraviolet light photosensitivity of nanocomposite ZnO-Ag films deposited with substrate heating](#)
V V Silva Kumar





The Electrochemical Society
Advancing solid state & electrochemical science & technology

242nd ECS Meeting
Oct 9 – 13, 2022 • Atlanta, GA, US

Abstract submission deadline: April 8, 2022

Connect. Engage. Champion. Empower. Accelerate.

MOVE SCIENCE FORWARD



Synthesis of ZnO-Ag Nanocomposites through Ultrasonication-Microwave Combination Method with Clove Leaf Oil

A Hisbiyah ^{*1}, K Nisyak ¹, Y A Prasetya¹, E D Iftitah² and A Srihardyastutie²

¹ Medical Laboratory Technology Department, STIKES Rumah Sakit Anwar Medika, Sidoarjo Indonesia

² Chemistry Department, Brawijaya University, Malang Indonesia

Corresponding author: yuihisbi@gmail.com

Abstract. ZnO and Ag nanoparticle have known their antibacterial activity especially their use in medical materials. In this study, ZnO-Ag Nanocomposite was synthesized by ultrasonication-microwave combination method with variation of reaction time using clove oil as their bioreductor. ZnO-Ag was prepared from ZnO Acetate as a source of ZnO and AgNO₃ as a source of Ag. The crystallinity structure, average particle size, morphology, and composition of ZnO-Ag was characterized by X-Ray Diffraction, Scanning Electron Microscope, and Energy Dispersive X-ray Spectroscopy. X-ray diffraction pattern indicates that reaction time of 30 minutes have optimal synthesis results. The nanocomposite obtained consists of 43.2 % Ag nanoparticle, 17.5 % hexagonal Zincite, 14.6% Zinc Oxide, 14.5% wulfingite (deuterated), and 10.2% Zn(OH)₂ with average particle size of 28.29 nm according to Scherer's equation. The result of scanning electron microscope showed that ZnO has an fiber shape and Ag has a round shape.

1. Introduction

Nanoparticle technology is becoming a very interesting technology to be developed. Nanoparticles are particles of 1-100 nm in size [1]. This material has broad uses because of its small particle size, one of which is the Ag and ZnO nanoparticles (AgNPs and ZnONPs). AgNPs has broad applications in the field of biomedicine, such as antibacterial [2], anticancer [3], antifungal [4], and antiviral [5]. However, the use of AgNPs with high concentrations can cause side effects because of its high toxicity [6]. Therefore, AgNPs can be combined with materials that have high biocompatibility with low toxicity on cell. ZnONPs is a metal oxide nanoparticle which has low toxicity and high biocompatibility [7], low cost, easily synthesized, and has almost the same uses as AgNPs in the biomedical field [8]–[10]. ZnO can improve some Ag capabilities, for example, increased antibacterial activity [11], photocatalytic activity so that several methods of making ZnO-Ag nanocomposites are beginning to be studied by researchers.

Research on the ZnO-Ag nanocomposite synthesis method that is environmentally friendly and economical continues to be developed until the maximum synthesis results are obtained. ZnO-Ag can be synthesized by natural materials as its bioreductor [12]. Plant extracts that have hydroxyl group (-OH), carboxyl group (-COOH), double bond, or other electron rich functional group can give a role as bioreductor [13]. Clove leaf oil is one of the essential oils from clove tree (*Syzygium aromaticum*) which is abundant in Indonesia [14]. The main content of clove leaf oil is eugenol at 60-68% [14],



Content from this work may be used under the terms of the [Creative Commons Attribution 3.0 licence](https://creativecommons.org/licenses/by/3.0/). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

Published under licence by IOP Publishing Ltd

[15]. Clove leaf oil has high antioxidant activity [16]. Therefore, clove oil is used as a bioreductor in the synthesis of ZnO-Ag nanocomposites in this research. So far, the method used for ZnO-Ag synthesis is conventional heating, but this method consumes time and energy. So this research uses the ultrasonication-microwave combination method for the synthesis of ZnO-Ag nanocomposites. The microwave method is a nanoparticle synthesis method that utilizes microwaves to heat the material so that reactions occur. The advantages of this method are energy efficiency, high reaction rates, rapid volumetric heating, high reaction rates, size and shape control by tuning reaction parameters, and energy efficiency [17][18]. Meanwhile ultrasonication method use ultrasonic radiation to disperse the molecule [18]. This paper was reporting the optimal reaction time in ZnO-Ag synthesis by the microwave method using clove leaf oil. The ZnO-Ag nanocomposite was characterized by X-Ray Diffractometer (XRD), Scanning Electron Microscope and Energy Dispersive X-ray Spectroscopy (SEM-EDX), while clove leaf oil was analyzed for phytochemical cost using Gas Chromatography-Mass Spectroscopy (GC-MS). XRD data analysis using Origin Pro and Match software.

2. Experimental Section

2.1 Material and Instrumentation

The chemicals used in this study were Silver Nitrate (Merck), Zinc acetate dihydrate (Merck), ethanol (Merck), clove leaf oil (CV. Nusaroma Depok), demineralized aqua (Bratachem), ammonia (Merck). The equipment used are glasses equipment, microwave reactor (Electrolux), Oven (DGG 9053A), Analytical Balance (Ohaus px224/E), ultrasonicator. The composition of clove leaf oil was analyzed by Gas Chromatography-Mass Spectroscopy (GC-MS Shimadzu QP2010). Morphology and atomic composition was observed by Scanning Electron Microscopy-Energy Dispersive X-ray Spectroscopy (SEM-EDX HITACHI FLEXSEM 1000). Molecular phase was observed using X-Ray Diffractometer spectroscopy (XRD Panalytical X'Pert Pro). XRD pattern was analyzed by Match and Origin pro software.

2.2 Synthesis ZnO-Ag with clove oil

ZnO-Ag nanocomposite was synthesized according to previous report with modification [19][20]. A 15 mL of clove leaf oil was added to 50 mL of ethanol in a 250 mL of erlenmeyer flask. The mixture was ultrasonicated for 30 minute until homogen, and was further added with 100 mL of Zinc acetate dihydrate 3×10^{-3} M slowly. Furthermore, It was added with ammonia until pH 9 and was further ultrasonicated until homogen. Then, it was reacted in microwave reactor at power level of 300 W, temperature of 30°C for 30 minutes. Furthermore, silver nitrate was added to the mixture drop by drop while ultrasonication is taking place for 30 minutes. Then, it was reacted in microwave reactor with five variations of reaction time for 10, 15, 20, 25, and 30 minute. The mixture was filtered and washed with ethanol until a colorless filtrat was afforded. ZnO-Ag nanocomposite was obtained and further dried at 130°C.

2.3 Characterization of reaction product

ZnO-Ag characterization was carried out to see the composition, morphology, particle size, and the degree of crystallinity. Phase identification, particle size, and degree of crystallinity were analyzed from XRD data. The size of nanocomposite particles is determined through the Scherrer equation. The phase composition is analyzed using the Match! Version 3.8.2, the degree of crystallinity is determined through equation (2), the XRD diffraction area is determined using the Origin pro software.

$$d_{\text{diff}} = (0,9\lambda) / (\beta \cos \theta) \quad (1)$$

$$\% \text{ Crystallinity} = (\text{Area of crystalline} / \text{Total area}) \times 100\% \quad (2)$$

Furthermore, ZnO-Ag was analyzed for morphology and elemental composition using SEM-EDX.

3. Result and Discussion

3.1 Synthesis ZnO-Ag with clove oil using ultrasonication-microwave method

ZnO-Ag nanocomposite synthesis reaction is an exothermic reaction between the oxidizer with the bioreductor, ZnO acetate and AgNO₃, in this study ZnO acetate and AgNO₃ act as oxidizing agents. ZnO and Ag synthesis process is carried out in one container or called one pot synthesis. Phytochemicals such as polysaccharides, polyphenolic compounds, vitamins, amino acids, alkaloids, terpenoids could help reducing metal ions or metal oxides to 0 valence metal NPs[21]. Clove leaf oil could worked as a bioreductor in the synthesis of ZnO-Ag nanocomposites because clove leaf oil contains several compounds that can work as Zn²⁺ ion complexing agents in solution and reduce ZnO Acetate and AgNO₃ to ZnO and Ag [22][23]. The clove leaf oil content was analyzed using GC-MS and the results of the analysis are shown in Figure 1. Based on the results of GC-MS, clove leaf oil consists of 71.41% eugenol; 25.96% trans-Caryophyllene; 2.63% alpha-Humulene.




Figure 1. Total Ionic Chromatogram (TIC) of clove leaf oil.

3.2 Phase identification and Crystallinity

ZnO-Ag nanocomposites can be synthesized from ZnO Acetate and AgNO₃ using a microwave-ultrasonication combination method with clove leaf oil as a bioreductor. In this research, the synthesis process was carried out with five variations of reaction time to determine the optimal reaction time. The nanocomposite was characterized by XRD to obtain a diffractogram in Figure 2. Figure 2 showed that there is a difference in peak intensity values and there is no significant 2 theta shifts in each diffractogram.




Figure 2. Diffractogram ZnO-Ag nanocomposites.

Nanocomposite phase identification was done using Match! software from the diffractogram to obtain the results that shown in Figure 3. Match! software showed that there are differences in the composition of nanocomposite elements at each reaction time variation. Globally the nanocomposite consists of five phases that is Hexagonal Zinc Oxide, Hexagonal Zinc Oxide (Zincite), Orthorhombic $\text{Zn}(\text{OH})_2$ (Wuelfingite), trigonal (hexagonal axes) $\text{Zn}(\text{OH})_2$, and cubic Ag. Based on the results of the phase identification, nanocomposites with the most AgNP composition were obtained at the reaction time for 20 minutes, which was 67%. While nanocomposite with the most ZnO-NP composition was obtained during the reaction time for 10 minutes, which was 44.7%. The side product of this synthesis was $\text{Zn}(\text{OH})_2$ which is most produced during the reaction time for 15 minutes, it was consist of 23.7% trigonal (hexagonal axes) $\text{Zn}(\text{OH})_2$ and 51.4% orthorhombic $\text{Zn}(\text{OH})_2$ (Wuelfingite). $\text{Zn}(\text{OH})_2$ was intermediate product of ZnO synthesis reaction. Based on these results, the composition of $\text{Zn}(\text{OH})_2$ was inversely proportional to the composition of ZnO, so there was a possibility of an equilibrium reaction between ZnO and $\text{Zn}(\text{OH})_2$ during the synthesis process. Hexagonal ZnO and Zincite was the best phase for antimicrobial application [24]




Figure 3. % Composition of ZnO-Ag nanocomposite.

The average particle size was calculated using the Scherrer equation and % crystallinity was calculated using the origin pro and Ms. Excel software. The results of the calculations are shown in Table 1. Nanocomposites with the smallest average particle size were obtained at a reaction time of 20 minutes, which was 19.66 nm. Whereas nanocomposite with the largest average particle size was obtained at a reaction time of 10 minutes, which was 36.44 nm, so the five nanocomposites meet the nanoparticle size criteria, which is 1-100 nm. The five nanocomposites have a low degree of crystallinity. The highest degree of crystallinity as much as 28% was obtained at the reaction time of 20 minutes, while the lowest degree of crystallinity of 15% was obtained at the reaction time of 15 minutes.

Table 1. Average particle size of ZnO-Ag nanocomposite.

No	Time (minutes)	Average particle size (nm)	Cristallinity (%)
1	10	36.44	23
2	15	22.64	15
3	20	19.66	28
4	25	32.64	27
5	30	28.29	20

3.3 Morphology of ZnO-Ag

Morphological studies were carried out to determine the shape of nanocomposites and the position of Ag and ZnO in nanocomposites. Morphological studies were carried out through SEM-EDX analysis on ZnOAg-NP10, ZnOAg-NP20, ZnOAg-NP30. The selection of these three nanocomposites was based on the % ZnO and Ag compositions that were successfully synthesized. Figure 4 showed the morphology of the three nanocomposites consisting of round and fiber shapes. The EDX was used to determine the location of the elements Zn, Ag, and O in the nanocomposite. The EDX results showed that Ag (round shape) can be deposited into ZnO (fiber shape). Based on Figure 4, Ag-NP in ZnOAg-NP20 is more evenly distributed on ZnO-NP with smaller particle sizes than ZnOAg-NP10 and ZnOAg-NP30. The AgNP particle was aggregated in ZnOAg-NP30 so that the average particle size is greater than the other two nanocomposites.




Figure 4. SEM of: (A) ZnOAg-NP10; (B) ZnOAg-NP20; (C) ZnOAg-NP30.

4. Conclusions

Ag-ZnO nanocomposite was synthesized by ultrasonication-microwave method using clove leaf oil at different reaction time 10, 15, 20, 25, 30 minutes. Characterization of ZnO-Ag nanocomposite by XRD and SEM-EDX revealed that the best Ag-ZnO nanocomposite was obtained from 20 minute

reaction time. The ZnO-Ag nanocomposite consists of 67.0 % Ag nanoparticle, 10.0 % hexagonal Zinc Oxide, 19.0% Zinc (OH)₂, with average particle size of 19.66 nm. The five nanocomposites have a low degree of crystallinity. Therefore, for further research, nanocomposites need to be calcined.

References

- [1] Khan, I., Saeed, K., Khan, I. 2017 *Arab. J. Chem.* **12** 908-931.
- [2] Qais, F. A., Shafiq, A., Khan, H. M., Husain, F. M., Khan, R. A., Alenazi, B., Alsalmeh, A., Ahmad, I. 2019 *Bioinorganic Chemistry and application.* **5** 1-11.
- [3] Al-sheddi, E. S., Farshori, N. N., Al-oqail, M. M., Al-massarani, S. M., Saquib, Q., Wahab, R., Musarrat, J., Al-khedhairi, A. A., Siddiqui, M. A. 2018 *Bioinorganic Chemistry and application.* 1-12.
- [4] Paiva, K., Fonseca, G., Canteri, P., Souza, D., Oliveira, A. G., Durán, N., Nakazato, G., Cristina, M., Sérgio, R., Almeida, D., Aparecido, L. 2019 *Int. J. Food Microbiol.* **291** 79–86.
- [5] Pangestika, R., Emawati, R. 2017 *The Veterinary Medicine International Conference.* 536–548.
- [6] Asharani, P. V., Low, G., Mun, K., Hande, M. P., Valiyaveetil, S. 2009 *ACS Nano.* **3** 279–290.
- [7] Nohynek, G. J., Antignac, E., Re, T., Toutain, H. 2010 *Toxicol. Appl. Pharmacol.* **2** 239–259.
- [8] Sirelkhatim, A., Mahmud, S., Seenii, A. 2015 *Nano-Micro Lett.* **7** 219–242.
- [9] Bisht, G., Rayamajhi, S. 2016 *Nanobiomedicine.* **3** 1-11.
- [10] Linhari, R. C., Pietro, R., Chiavacci, L. A. 2019 *Colloids Surfaces B Biointerfaces.* **177** 440-447
- [11] Ismail, M. M., Ibraheem, L. Q., Marzoog, T. R., Ahmed, D. S., Humadi, M. D. 2015 *Chemistry and Material Research.* **7** 57–65.
- [12] Zare, M., Namratha, K., Byrappa, K. 2018 *Int. J. Sci. Res. Sci. Technol.* **4** 1636-1640.
- [13] Hasan, S. 2015 *Research Journal of Recent Sciences.* **4** 7–10.
- [14] Kapahang, A. 2017 *Journal of Medicinal Plants Studies.* **5** 27–32.
- [15] Barroso, A. G., Deans, S. G., Dorman, H. J. D., Figueiredo, A. C. 2000 *Flavour Fragr. J.* 12–16.
- [16] Pérez-rosés, R., Risco, E., Vila, R., Peñalver, P., Canigual, S., Pérez-rosés, R. 2016 *J. Agric. Food Chem.* **64** 4716-4724.
- [17] Grewal, A. S. 2014 *Int. Res J Pharm. App Sci.* **3** 278-285.
- [18] Taylor, P., Pholnak, C., Sirisathitkul, C., Danworaphong, S., Harding, D. J. 2014 *Ferroelectrics.* 37–41.
- [19] Azizi, S., Mohamad, R., Shahri, 2017 *Molecules.* **22** 1–13.
- [20] Pinjari, D. V., Pandit, A. B., Mhaske, S. T. 2016 *Indian j. Chem. Technol.* **23** 221–226.
- [21] Agarwal, H., Kumar, S. V., Rajeshkumar, S. 2017 *Resour. Technol.* **3**, 406–413.
- [22] Rajakannu, S., Shankar, S., Perumal, S., Subramanian, S. 2015 *Int. J. Curr. Microbiol. App. Sci.* **4**, 944–952.
- [23] Zare, M., Namratha, K., Alghamdi, S., Hussein, Y., Mohammad, E., Hezam, A., Zare, M., Drmash, Q. A., Byrappa, K. 2019 *Scientific Reports.* **9** 1–15.
- [24] S. Fakhari, M. Jamzad, and H. Kabiri Fard 2019 *Green Chem. Lett. Rev.* **12** 19–24.

Acknowledgements

The author would like to thank the Ministry of Research, Technology and Higher Education who has provided research grant 2019 through *Penelitian Kerjasama Perguruan Tinggi* with contract number 113/SP2H/LT/DRPM/2019; 141/SP2H/LT/ MONO/L7/2019; 006/STIKESRSAM/SP-Research/III/2019. The author also thanks Dr. Elvina Dhiaul Ifitah, M.Sc. and Dr. Arie Srihardyastutie, M.Kes. from Universitas Brawijaya who provide a guidance and direction in this research.

9. IOP AH

ORIGINALITY REPORT

17%

SIMILARITY INDEX

15%

INTERNET SOURCES

11%

PUBLICATIONS

7%

STUDENT PAPERS

PRIMARY SOURCES

1	www.idemployee.id.tue.nl Internet Source	2%
2	Submitted to International Islamic University Malaysia Student Paper	2%
3	knepublishing.com Internet Source	2%
4	www.science.gov Internet Source	2%
5	ejurnal.bppt.go.id Internet Source	1%
6	Yuanhui Zheng, Lirong Zheng, Yingying Zhan, Xingyi Lin, Qi Zheng, Kemei Wei. "Ag/ZnO Heterostructure Nanocrystals: Synthesis, Characterization, and Photocatalysis", Inorganic Chemistry, 2007 Publication	1%
7	Submitted to Universiti Malaysia Perlis Student Paper	1%

8	nexusacademicpublishers.com Internet Source	1 %
9	Thangaraju Chitradevi, A Jestin Lenus, N Victor Jaya. "Structure, morphology and luminescence properties of sol-gel method synthesized pure and Ag-doped ZnO nanoparticles", Materials Research Express, 2019 Publication	1 %
10	static.medmeeting.org Internet Source	1 %
11	www.researchgate.net Internet Source	1 %
12	Susan Azizi, Rosfarizan Mohamad, Raha Abdul Rahim, Amin Boroumand Moghaddam et al. "ZnO-Ag core shell nanocomposite formed by green method using essential oil of wild ginger and their bactericidal and cytotoxic effects", Applied Surface Science, 2016 Publication	<1 %
13	educationdocbox.com Internet Source	<1 %
14	Saumya Srivastava, Anjana Pandey. "Syngonium podophyllum Leaf Extract Mediated Synthesis and Characterization of Gold Nanoparticles for Biosensing Potential: A	<1 %

Sustainable Approach", Current Nanoscience, 2021

Publication

15

comptes-rendus.academie-sciences.fr

Internet Source

<1 %

16

worldwidescience.org

Internet Source

<1 %

17

backend.orbit.dtu.dk

Internet Source

<1 %

18

dspace.lib.cranfield.ac.uk

Internet Source

<1 %

19

portal.arid.my

Internet Source

<1 %

20

pubs.acs.org

Internet Source

<1 %

21

www.hindawi.com

Internet Source

<1 %

22

Renato Pérez-Rosés, Ester Risco, Roser Vila, Pedro Peñalver, Salvador Cañigueral.

"Biological and Nonbiological Antioxidant Activity of Some Essential Oils", Journal of Agricultural and Food Chemistry, 2016

Publication

<1 %

Exclude quotes On

Exclude bibliography On

Exclude matches Off

9. IOP AH

GRADEMARK REPORT

FINAL GRADE

/15

GENERAL COMMENTS

Instructor

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

PAGE 7